

wŭ%u. ǎ ŭ. -/ u"ŭF 104 Cn%!!ŭ 115 27

- 9 / " ŮŮ ůŮ. Ů: Ө . ý Ů! • ' < / £ 127 QW. r%!!"Ů 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

- - wŋ-əŋi ʔəwəŋi-ŋ : ɸŋ' wŋw- - iŋ' wŋw- - ɸŋ' wŋw- tŋ' əwəŋw-ŋ- iŋ- iŋ' wŋw- , iŋ' wŋ' w & ŋŋ' ŋi ŋ əŋi tŋw-, 19010, wŋw-ŋŋi

— ♀ 𐎶𐎵𐎶𐎵 𐎶𐎵𐎶𐎵 𐎶𐎵𐎶𐎵 𐎶𐎵𐎶𐎵 : 𐎶𐎵𐎶𐎵 - 𐎶𐎵 𐎶𐎵𐎶𐎵 - 𐎶𐎵𐎶𐎵

Год: 20/09/2017

၂၁ / ဇူလိုင်၊ ၂၀၁၈ : ၂၀/၀၉/၂၀၁၇

၂၄/၁၁/၂၀၁၇ : 20/09/2017

၂၁ / ဇူလိုင် ၂၀၁၈ : ၂၃/၀၉/၂၀၁၇

W&P THE U.S. : 27380588

Wòu pǐn... nǚ zǐ zì “F : Wèi wǎng wǒ”

- ÛÊÛ'Û.Û ÛÛ' > ÛÛ F : NEÿw ÿYw µΓVw- nW - —wθw - ÿÿ_ wµÿ - - µ.θ. - ÿÿ_ wµÿ -

YÜ, > Ü/ F	W %Ü/ F	W !!, üÜ	YÜÜ ÜÜ "" - ' >	ü / Ü < ÜÜ Ü
YÜ T/ ' W" / n ÜÜ!Ü > " ÜÜ F 22Ä	ISO 6222:1999	cfu/ml	s!!Ü > ÜÜÜ/ < " F	0
YÜ T/ ' W" / n ÜÜ!Ü > " ÜÜ F 37Ä	ISO 6222:1999	cfu/ml	s!!Ü > ÜÜÜ/ < " F	0
W < / ÜÜ Ü.Ü / ÜÜ"	ISO 9308-1:2014	cfu/100ml	0	0
Escherichia coli	ISO 9308-1:2014	cfu/100ml	0	0
Intestinal Enterococci	ISO 7899-2:2000	cfu/100ml	0	0
Clostridium perfringens (ÜÜ > ÜÜ' < ÜÜ ÜÜ!Ü > ' !!ÜÜ ÜÜ! ÜÜ T/ ÜÜ!)	ISO 14189:2013	cfu/100ml	0	0

Ý ñ ý ñ - Γ ÿ Γ - Θ ρ -

[illegible][illegible]

W - ♀ Ū%£! / F
U £ Θⁿ ± Ū^oU_n ' £

Kevin

[illegible]

- / ɣ⁰hTM ɣ⁰ʊ^U ɣ⁰/ ' . UTM n^U ũ^U < ũ^UU^U / ! " " £ ɣ⁰ / †ⁿ ũ^U " " ũ^U ũ^U! > ɣ⁰ / n^U !! ũ^U ũ^U!! ũ^U ɣ⁰hTM ũ^U P6/n^U F^U U^U. †ⁿ ũ^U ɣ⁰U^U ' †ⁿ n^U ũ^U... U^U £ ũ^U †ⁿ ũ^UU^U n^U? £. ɣ⁰hTM , >TM/ ũ^U ɣ⁰< n^U...> / n^UU^U

[illegible]

- Uł "UŁ 1 UŁ TM1

WU%y. yU. -/ y"UF 104 Cn%!!U 115 27

- 9/ " ŮŮ ůŮ. Ů: Ө. ý Ů!•' </ £ 127 Оѡ. r%!!"Ů 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

- - wŋ-əŋi ʔəwəŋi-ŋ : ɸŋ' wŋw- - iŋ' wŋw- - ɸŋ' wŋw- tŋŋ' əwŋw-ŋ' - i - iŋ' wŋw- , iŋ' wŋ' w & ʔŋ' ŋi ŋ əŋi tŋw- , 19010, wŋw-ŋŋi

- ♀ Ḳṛk!! F ūŭ†; ŪM < ..€™UF : ìwìw- - 𐎧𐏁 Ө̀ȳȳ - - Γ̀ȳn

Гр. /ИМ ПРИБЛИЖИТЕЛНО/ : 20/09/2017

[illegible]

Год: 20/09/2017

၂၁ / ဇူလိုင် ၂၀၁၈ : ၂၆/၀၉/၂၀၁၇

WFOU THE UNIVERSITY OF : 27380588

WUU uuu... ♀ Uu Uu “F : WwWwWwWw

- ӨҮҮҮ.ҮҮ ҮҮҮҮ ҮҮҮҮ : NEyW й YW ыГ Vw- nW - -wW ӨW - йу wW й- - ы.Ө. - йу wW й-

YU, > UJ / F	W % U F	W !!, uU	W / Y !! P H U . F	YU U UJ "" - , "	Y / U U U
- E + " ' ! ! U % u ... T M U d ! E u n / + T M / E (pH) - 25 A C	ISO 10523:2008	pH units	-	6.5 - 9.5	7.7
Γ < U J U "" u n + % + > T M U U - 25 A C	ISO 7888:1985	> S/cm	10	< 2500	296
U / < T M U U	ISO 7027:1999	FNU	0.02	-	0.32
- m e > U	Θ W - Θ W ISO 7887	mg/l Pt	1.5	-	< 5
W U > "	W n + U U / < ... E U ' , (*)		-	-	Y / U U U
U U U ...	W n + U U / < ... E U ' , (*)		-	-	Y / U U U
W - U u % u > T M U U (KMnO4)	Θ W - Θ W ISO 8467	mg/l O2	0.16	< 5.0	< 0.5
Y n + % / (Al)	W Θ 072-93 (ICP-MS)	> g/l	0.20	< 200.0	103
Y ! ! U U T M / (Sb)	W Θ 072-93 (ICP-MS)	> g/l	0.002	< 5.0	0.051
Y n U U ! " T M (As)	W Θ 072-93 (ICP-MS)	> g/l	0.003	< 10.0	0.12
Y T M / (B)	W Θ 072-93 (ICP-MS)	> g/l	0.15	< 1000.0	17
W U > / (Cd)	W Θ 072-93 (ICP-MS)	> g/l	0.001	< 5.0	< 0.035
- m e > / (Cr)	W Θ 072-93 (ICP-MS)	> g/l	0.01	< 50.0	0.29
- U k " T F (Cu)	W Θ 072-93 (ICP-MS)	> g/l	0.03	< 2000.0	0.75
" U . n / F (Fe)	W Θ 072-93 (ICP-MS)	> g/l	0.06	< 200.0	5.2
W T M E + U F (Pb)	W Θ 072-93 (ICP-MS)	> g/l	0.005	< 10.0	0.082
W U + + , ! ! / (Mn)	W Θ 072-93 (ICP-MS)	> g/l	0.005	< 50.0	0.089
- U n , n + E n / F (Hg)	W Θ 072-93 (ICP-MS)	> g/l	0.01	< 1.0	Y U ! Y ! ! P H U % . " U
W " " < / (Ni)	W Θ 072-93 (ICP-MS)	> g/l	0.01	< 20.0	0.35
- U " ! ! / (Se)	W Θ 072-93 (ICP-MS)	> g/l	0.035	< 10.0	< 0.25
W , U / (Na)	W Θ 072-93 (ICP-MS)	mg/l	0.0015	< 200.0	4.2
Y n % " , (BrO3)	W Θ 072-85 (LC-MS/MS)	> g/l	0.06	< 10.0	Y U ! Y ! ! P H U % . " U
W E U ! ! / O P U (CN)	W Θ 072-69 (UV)	> g/l	3	< 50.0	Y U ! Y ! ! P H U % . " U
- e % n / O P U (Cl)	ISO 9297:1989	mg/l	1	< 250.0	6.03
- e n / (- % / U > U U " T M)	W Θ W 72-70 (UV)	mg/l	0.015	-	0.24
U % n / O P U (F)	W Θ 072-75 (UV)	mg/l	0.06	< 1.5	Y U ! Y ! ! P H U % . " U
W U " , (NO3)	W Θ 072-92 (UV)	mg/l	0.7	< 50.0	< 3
W U e U . (NO2)	ISO 6777:1984	mg/l	0.01	< 0.5	Y U ! Y ! ! P H U % . " U
Y > e ! ! / (NH4)	ISO 7150-1:1984	mg/l	0.01	< 0.5	Y U ! Y ! ! P H U % . " U
U U " , (SO4)	W Θ 072-72 (UV)	mg/l	1.5	< 250	29
W " " T F W n + U ! ! " " T F s ! ! % U F (TOC)	APHA 5310 B	mg/l C	0.05	-	1.3

Ẁ - ♀ Ū%£!!/ F
 —.λ ""/ ΩΘⁿ ±ŪŪU.ⁿ ” £

12

YÜΩ / F W..Ú'Ü!! , " ..F
DVM, —.ä "'™ F MSc

[illegible][illegible]

- Ü "üÜ 1 ü♀ TM3

wŭ%u. ỹ Ůŭ. - / u"ŮF 104 Çh%!!Ů 115 27

– 9/ " ǂǂ ǂǂ. ǂ: ǂ. ǂǂ!" • </ £ 127 ǂǂ. ǂǂ!" ǂ 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

YU, > U/ F	W % U F	W !!, uU	W / U !! P U U F	YU U U U " " - ' , "	U / U < U U U
1,2 U P S % U / U % !!! (EDC)	W 0 72-88 (GC-MS)	> g/l	0.05	< 3.0	U U! U !! P U U % . " U
Y ' ! E < / P S % U / (CH2CHCl)	W 0 72-88 (GC-MS)	> g/l	0.04	< 0.50	U U! U !! P U U % . " U
W < " , - n ' U k / & / ! / > U % !!! (THM's)	W 0 72-88 (GC-MS)	> g/l	0.04	< 100.0	27.4
— < % U / U T M > / (CHCl3)	W 0 72-88 (GC-MS)	> g/l	0.04	-	22.9
Y n % U / U T M > / (CHBr3)	W 0 72-88 (GC-MS)	> g/l	0.05	-	U U! U !! P U U % . " U
Y n % U / U P S % U / > U % !!! (CHBrCl2)	W 0 72-88 (GC-MS)	> g/l	0.04	-	3.7
U ' t n % U / P S % U / > U % !!! (CHBr2Cl)	W 0 72-88 (GC-MS)	> g/l	0.05	-	0.80
- n ' - & - U U U P S % U / U % < ' !!!	W 0 72-88 (GC-MS)	> g/l	0.03	< 10.0	U U! U !! P U U % . " U
- n ' P S % U / U % < ' !!! (TCE)	W 0 72-88 (GC-MS)	> g/l	0.05	-	U U! U !! P U U % . " U
- U U U P S % U / U % < ' !!! (PCE)	W 0 72-88 (GC-MS)	> g/l	0.03	-	U U! U !! P U U % . " U
Y U ! & (U) & E n ' !!!	W 0 72-80 (GC-MS/MS)	> g/l	0.0025	< 0.01	U U! U !! P U U % . " U
Y / < E " E " < " / " n % U U " / " — U n / & / !! , !! % U U F (PAH)	W 0 72-80 (GC-MS/MS)	> g/l	0.0025	< 0.1	U U! U !! P U U % . " U
Y U ! & (t) u % n U ! % !!!	W 0 72-80 (GC-MS/MS)	> g/l	0.0025	-	U U! U !! P U U % . " U
Y U ! & (") u % n U ! % !!!	W 0 72-80 (GC-MS/MS)	> g/l	0.0025	-	U U! U !! P U U % . " U
Y U ! & (g,h,i) & U E < ' !!!	W 0 72-80 (GC-MS/MS)	> g/l	0.0025	-	U U! U !! P U U % . " U
r ! U U / (1,2,3-c,d) & E n ' !!!	W 0 72-80 (GC-MS/MS)	> g/l	0.0025	-	U U! U !! P U U % . " U
Y U ! & T %	W 0 72-88 (GC-MS)	> g/l	0.03	< 1.0	U U! U !! P U U % . " U
U " n E < U U / (C3H5NO)	W 0 72-86 (LC-MS/MS)	> g/l	0.04	< 0.10	U U! U !! P U U % . " U
U & P S % U E U n " ! ! . . (C3H5ClO)	W 0 72-87 (GC-MS)	> g/l	0.07	< 0.10	U U! U !! P U U % . " U
- U / < / Y U U U " U " U " % !!	W 0 72-79 (GC-MS/MS)	> g/l	0.006-0.02	< 0.50	U U! U ! P U U % . " U !

Ẁ - ♀ Ū̄/£!!/ F
 —.λ '''/ ΩΘ†P̄U.η'Y £

12

YÜΩ / F W..Ü'Ü!! , " ..F
DVM, —.ä "'™F MSc

- / ɤʊᵐ TM ɤ'ũU ɤ/ ' . U " TM ʌ n Ũ .. Ğ ŮŮ / !! "" £ ɤ/ † n Ůu " Ů ũŮ! > ɤ/ n Ů!! ŮŮ!! Ů ɤʊᵐ ᵀPᶜŮ Pᶜ/n F Ů.. † n Ů ɤʊ ' † n' ũ... Ů £ Ů † ŮŮ Ů n? £, ɤʊᵐ , > TM/ ũŮ ɤ<" n ...> / n Ů "

[illegible]

- Ů "ũũ2 ů♀ TM3

wŭ%u. ǎ ŭŭ. -/ u"ŭF 104 Cn%!!ŭ 115 27

- 9 / " Ů ů ű ų ŵ : Θ . ṽ Ű ! • ′ < / £ 127 QW. r%!!"Ŭ 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

Ý ñ ý ñ - Ğ ù Ğ - Θ Ğ -

[illegible][illegible]

Acetochlor, Acrinathrin (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Aldrin, Atrazine, Azinphos Ethyl, Azinphos Methyl, Benalaxyl, Benfluralin, Bifenoxy, Bifenthrin, Biphenyl, Bitertanol, Bromocyclen, Bromophos Ethyl, Bromophos Methyl, Bromopropylate, Bromuconazole (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Buprofezin, Butafenacil, Cadusafos, Captafol, Captan, Carbaryl, Carbofenthiol, Carbosulfan, Chlordane alpha (cis), Chlordane gamma (trans), Chlorfenapyr, Chlorfenson, Chlorfenviphos (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Chlorobenzilate, Chloropropylate, Chlorothalonil, Chlorpyrifos Ethyl, Chlorpyrifos Methyl, Chlorpyrifos dimethyl/DCPA, Chlorlathrin Methyl, Clodinafop-propargyl, Cloquintocet meoxyl, Coumaphos, Cyfluthrin (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Cyhalothrin lambda, Cypermethrin (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Cyproconazole, Cyprodinil, DDD-o, DDD-p, DDE-o, DDE-p, DDT-o, DDT-p, Deltamethrin, Diazinon, Dichlobenil, Dichlofenthiol, Dichlofluanid, Dichloran, Dichlorvos(#), Diclobutrazol, Dicofof, Dieldrin, Difenoconazole (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Diflufenican, Dimethenamid, Dimethoate, Diniconazol, Diphenamid, Endosulfan alpha, Endosulfan beta, Endosulfan lactone, Endosulfan sulfate, Endrin, Epoxiconazole, Esfenvalerate, Etoconazol (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Ethalfuralin, Ethion, Ethoprophos, Etridiazol, Etrifosfos, Famphur, Fenamiphos, Fenarimol, Fenaziquin, Fenbuconazol, Fenchlorphos, Fenitrothion, Fenoxycarb, Fenproparthrin, Fenpropidin, Fenpropimorph, Fenson, Fenvalerate (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Fluzifop-P-butyl, Fluchloralin, Flucythrinate (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Fludioxonil, Flufenoxuron, Flufenconazole, Flusilazole, Flusilinate-tau (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Folpet, Furalaxyl(#), HCH alpha, HCH beta, HCH delta, HCH gamma, Heptachlor, Heptachlor Epoxide A, Heptachlor Epoxide B, Hexachlorobenzene, Hexaconazole, Iodofenphos, Iprobenphos, Iprodione, Isazophos, Isodrin, Isufenphos, Isufenphos Methyl, Leptophos, Malathion, Mepronil, Metazachlor, Methacryfos, Methidathion, Methoxychlor (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Metolachlor, Metribuzin(#), Mirex, Myclobutanil, Nitrapyrin, Nitrofen isopropyl, Nuarimol, o-phenylphenol, Oxadiazon, Oxyfluorfen, Paclobutrazol, Parathion, Parathion Methyl, Penconazole, Pendimethalin, Pentachloroanisole, Permethrin (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Perthan, Phenothrin (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Phenthoate, Phorate(#), Phosalone, Phosmet, Picolnafen, Piperonyl butoxide (PBO), Pirimiphos Ethyl, Pirimiphos Methyl, Procymidone, Profenofos, Prometryn, Propargite, Propazine, Propham, Propyzamide, Prothiofos, Pyrazophos, Pyridaben, Pyrimethanil, Pyriproxyfen, Quinalphos, Quinoxifen, Quintozene, Resmethrin (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), S421, Simazine, Spirodiclofen, Tebuconazole, Tecnazene, Tefluthrin, Terbutylazine, Tetraclorvinphos, Tetraconazole, Tetradifon, Tetramethrin (s %/ 'ú: 0 Ú! 'ú' > Ú e !!), Tetrasul, Thiobencarb, Tolclofos Methyl, Tolyfluanid, Transfluthrin, Triadimefon, Triazophos, Trichlorfonate, Trifluralin, Triticonazole, Uniconazole, Vinclozolin.

$\bar{u}'\bar{u} \text{ } ^{\text{TM}}\bar{u}\bar{u} \text{ } ^{\text{q}}\bar{u} \text{ } \bar{u}\bar{u}'\bar{u} \text{ } ^{\text{''}}\bar{u}\bar{u}\bar{u}\bar{u}$, LOD: 0.006-0.022 > q/l & LOQ: 0.022-0.068 > q/l.

(#) $\Theta' U^{\mathbb{M}} \circ \tilde{U}^{\mathbb{M}} \in \mathbb{E} \circ \tilde{U}^{\mathbb{M}} \circ \tilde{U}^{\mathbb{M}} \in \mathbb{F}$.

W - ♀ ÜP%£!V F

—...'''/ ΩΘη ±ÜŸU.η' £

12

YÜQ / F W. Ü'Ü! " F

DVM, and MSc

-/ ɤ̃^h TM ɤ̃'ũU ɤ̃/'..U''TM n Ũ ..<ŨU / !!''' £ ɤ̃/ ‡n ũu " Ũ ũŨ! > ɤ̃/ n Ũ!!ŨŨ!!Ũ ɤ̃^h ŨPŨŨ PŨ/n F U .‡n Ũ ɤ̃U ' ‡n'n'ũ...U £ Ũ ‡ũU.n? £, ɤ̃^h, > TM/ ũŨ ɤ̃<"n.../> n u".

[illegible]

- ٤ "٥٥ ٣ ٥٥ TM٣