

wŭ%u. ỹ Ůŭ. -/ u"ŮF 104 Çh%!!Ů 115 27

– 9/ " ǂǂ ǂǂ. ǂ: ǂ. ǂǂ!" • </ £ 127 ǂǂ. ǂǂ!" ǂ 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

- - wɪ-əŋ ʏəw-ɪ : ɸɪ'wɪw- - ɪy_ wɪwɪw- - ɸɪ'wɪw- rɪ' əwɪw- ɪ- ɪ yɪwɪrɪ- ŷ_ wɪrɪ-, ɪɸɪ'w_ w & yɪ'ūɪ ŷ əyɪrɪw-, 19010, wɪw-ɪrɪ

- ♀ Ὠρῆ!! Εὐύτῃ! Ὡμ < . € "Ἥ : ἡνώνη-- πῶι Θὺ υἱ- - Γ' ὑ γή

Γ > /III"ΠΠΨ±> UM < .€."UE : 25/09/2014

၂၄/၀၉/၂၀၁၄ : 25/09/2014

[illegible][illegible]

WFOU-TV : 24390776

Wòu ǔwǔ...♀ ǔ ǔ ǔ†“ F : Wǎwǎwǎwǎ

- ບໍ່ມີປຸງພິບັດໄປ ເປັນ ພະຍາກຳ : ພະຍາກຳ ໃຫ້ພວກເຮົາ - ກໍ່ ມີ ພະຍາກຳ - ພະຍາກຳ - ພະຍາກຳ - ພະຍາກຳ - ພະຍາກຳ

YÜ, > Ü/ F	W %Ü/ F	W !!, üÜ	YÜ Ü Ü' "" - ' , "	ü / Ü < ÜÜ Ü
YÜ Tü/ ' W" n/ n üü' ü> / " üÜ EF 22Ä	ISO 6222:1999	cfu/ml	s !!Ü > ÜÜÜ/ < " F	0
YÜ Tü/ ' W" n/ n üü' ü> / " üÜ EF 37Ä	ISO 6222:1999	cfu/ml	s !!Ü > ÜÜÜ/ < " F	0
W < / üÜ Ü.ü / ÜÜ"	ISO 9308-1:2000/Cor1:2007	cfu/100ml	0	0
Escherichia coli	ISO 9308-1:2000/Cor1:2007	cfu/100ml	0	0
Intestinal Enterococci	ISO 7899-2:2000	cfu/100ml	0	0
Clostridium perfringens (ÜÜ > üÜ' < ÜÜ üÜ! / > ' !!ÜÜ ÜÜ! üÜ Tü ÜÜ!)	W-ü/2600/2001	cfu/100ml	0	0

Үйүй - ГүГ - Өг-

1. W' U' F U! u; / U' U', U! +U' U' U' U' U' U' U' TM U' % TM U' U' F 24390776 U £ U' TM U' F U' U' q' . U' Q U' U' U' U' U' U' n' q! q' £
 "U' n' / !! U' U' !! W' !!! - q' £ n' !"" ð q' TM U' ...-2/2600/U' (Û ÖW892Ÿ/11-07-2001). TM q' F U' / q' / "q%." U' U' U' U' U' P's' Ÿ" U' U'

[illegible]

W - ♀ Ū2%£!Y F
U £ Θⁿ ± ŪŪU,ₙ ʔ £

Kevin

U...TM n 'U F Y/ £", F

DVM, $\dot{W}'''_n / \dot{t}' / \epsilon^{TM} / F - - \dot{t}' \dot{U}! / \epsilon^{TM} / F$ MSc

Θ♀'ύυ.3/ !!'''™F μ'ύ€%€!!U'F

[illegible][illegible]

- Ũ "ũũ 1 ũ♀ TM1

wŭ%u. ỹ Ůŭ. -/ u"ŮF 104 Çh%!!Ů 115 27

– 9/ " ǂǂ ǂǂ. ǂ: ǂ. ǂǂ!" • </ £ 127 ǂǂ. ǂǂ!" ǂ 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

- - wɪ-əŋ ʏəw- ɪ- : ɪɪ wɪ- - ɪɪ wɪ- wɪ- əw- ɪ- ɪ ʏwɪ- ɪ wɪ- , ɪɪ wɪ- wɪ- ʏɪ wɪ- ʏəw- , 19010, wɪ- ʏwɪ-

- ♀ ǂǂǂ! / F ǂǂǂ : ǂǂǂ - ǂǂǂ - ǂǂǂ

Гр. /ИМ ПРИБЛИЖИТЕЛНО : 25/09/2014

၂၄ / !! "ပုံ ' !! ပုံ - .၆ ပုံ !! ပုံ နှစ်ပုံ !! : 25/9/2014

Год: 25/09/2014

၂၁။ နေပြည်တော်၊ ၂၀၁၄ ခုနှစ်၊ မတ်လ ၂ ရက် : ၂/၁၀/၂၀၁၄

WFOU : 24390776

WUU uuu... ♀ Uu Uu “ F : WwWwWw

- ÛËÛÛ.Û ÛÛÛÛ> ÛÛ F : wəy̯w̄ n̄y̯w̄ y̯ȳ--ɾ' uɾ' w̄w̄- n̄w̄- --w̄w̄eɹw̄--y̯.ũ w̄n̄n̄-

YÜ , > ÜÛ / F	W % Æ / F	W !, üÜ	ЛН / Й !! РЫЕÜ..F	YÜ Ü ÜÛ "" - , "	Й % / Ü<ÜÜ Ü
- £±"" !!Û %ü...!™!Û%!! £ü^n / ±™%/ £ (pH) - 25ĀC	ISO 10523:2008	pH units	-	6.5 - 9.5	7.7
Γ<ŮŮÛ "" ì±%±> ™Ů.ŮÜ - 25ĀC	ISO 7888:1995	> S/cm	-	< 2500	296
Ů/ < ™Ů.ŮÜ	ISO 7027:1999	FNU	-	-	0.25
—e> Ů	Θŵŵ- ΘŴ ISO 7887	mg/l Pt	-	-	<5
wŰ> "	w^n ±Ü!Ů/<...ŝŮ' , (*)		-	-	ì % / ŮŮŮ Ů
ūÜÜ...	w^n ±Ü!Ů/<...ŝŮ' , (*)		-	-	ì % / ŮŮŮ Ů
w̄ Üü%ü'> ™Ů.ŮÜ (KMnO4)	Θŵŵ- ΘŴ ISO 8467	mg/l O2	-	< 5.0	<0.5
î^n ±"</ (Al)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 200.0	109
î!!!Ů ™!/ (Sb)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 5.0	0.041
î^n ũŨ!" ™(As)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 10.0	0.080
ÿ ™"/ (B)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 1000.0	14
Ŵ ů> / (Cd)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 5.0	<0.035
—e> / (Cr)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 50.0	0.27
—Ük " ™F (Cu)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 2000.0	0.54
- "ü..Ů / F (Fe)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 200.0	5.2
Ŵ™£†Ů / F (Pb)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 10.0	<0.05
ŴÜ±±, !!/ (Mn)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 50.0	0.22
—ü^n , n ±£^n / F (Hg)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 1.0	<0.04
w'" "</ (Ni)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 20.0	0.42
- Ũ^ " !!/ (Se)	w̄Θ 072-93 (ICP-MS)	> g/l	-	< 10.0	0.18
w, Ů / (Na)	w̄Θ 072-93 (ICP-MS)	mg/l	-	< 200.0	3.9
ÿ^n %ö "", (BrO3)	w̄Θ 072-85 (LC-MS/MS)	> g/l	-	< 10.0	<2
ŴEÜ!!/ ÖPÖ (CN)	w̄Θ 072-69 (UV)	> g/l	-	< 50.0	<10
—€ %ö / ÖPÖ (Cl)	ISO 9297:1989	mg/l	-	< 250.0	12.1
—€ e^n / (- % / < Ů> > ŮŮ' ™)	Θü%ŮŮ "" " >' % Ů / F †ÜÜ'ü> ' !!!..üŮ.!! ISO 7393-2:1985	mg/l	-	-	0.31
ü % ^n / ÖPÖ (F)	w̄Θ 072-75 (UV)	mg/l	-	< 1.5	0.13
w'Ů "" , (NO3)	LCK 339	mg/l	-	< 50.0	<3
w'Ů eü..(NO2)	ISO 6777:1984	mg/l	-	< 0.5	<0.03
î>> e !!/ (NH4)	ISO 7150-1:1984	mg/l	-	< 0.5	<0.03
ŮŮ"", (SO4)	w̄Θ 072-72	mg/l	-	< 250	29

W - ♀ Ū%£!/? F
 —.λ '''/ ΩΘη ±ŪŪU.η'/? £

12

YÜΩ / F W..Ú'Ü!! , " ..F
DVM, —.Δ "'™ F MSc

[illegible][illegible]

- Ū "ūŭ1 ū♀ TM3

wŭ%u. ỹ Ůŭ. -/ u"ŮF 104 Çh%!!Ů 115 27

– 9/ " ǂǂ ǂǂ. ǂ: ǂ. ǂǂ!" • </ £ 127 ǂǂ. ǂǂ!" ǂ 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

YÜ, > Ü/ F	W % Ü F	W !!, üÜ	л / н !! рн üü..F	YÜ Ü Ü "" - 's "	н ? / Ü: Ü: Ü
w<"" TФ wñ ±Ü!!"" TФ s !!% Ü' ÜF (TOC)	APHA 5310 B	mg/l C	-	-	1.0
1,2 ü'Pis%ñ/ Ü'Üp !!!/ (EDC)	wӨ 072-88 (GC-MS)	> g/l	-	< 3.0	<0.1
ÿ'!!E</ Pis%ñ"Ü/ (CH2CHCl)	wӨ 072-88 (GC-MS)	> g/l	-	< 0.50	<0.5
w<"" , - n'Ük/ ÷ !!/ > Ü'Üp !!!(THM's)	wӨ 072-88 (GC-MS)	> g/l	-	< 100.0	20.9
—<%ñ/ ü™ > / (CHCl3)	wӨ 072-88 (GC-MS)	> g/l	-	-	12.5
ÿ^n%ñ/ ü™ > / (CHBr3)	wӨ 072-88 (GC-MS)	> g/l	-	-	<0.1
ÿ^n%ñ/ Ü'Pis%ñ/ > Ü'Üp !!!/ (CHBrCl2)	wӨ 072-88 (GC-MS)	> g/l	-	-	7.2
ü'tñ%ñ/ Pis%ñ/ > Ü'Üp !!!/ (CHBr2Cl)	wӨ 072-88 (GC-MS)	> g/l	-	-	1.2
- n' - & - ÜÜ Ü- Pis%ñ/ Ü'ÜE<' !!!/	wӨ 072-88 (GC-MS)	> g/l	-	< 10.0	<0.1
- n'Pis%ñ/ Ü'ÜE<' !!!/ (TCE)	wӨ 072-88 (GC-MS)	> g/l	-	-	<0.1
- ÜÜ ÜPis%ñ/ Ü'ÜE<' !!!/ (PCE)	wӨ 072-88 (GC-MS)	> g/l	-	-	<0.1
ÿÜ!•/ (Ü) ðEñ' !!!/	wӨ 072-80 (GC-MS/MS)	> g/l	-	< 0.01	<0.0067
Y/ <E"E"<""/ "ñ^n%ñ ÜÜ"/ "	wӨ 072-80 (GC-MS/MS)	> g/l	-	< 0.1	<0.0067
—Üñ/ ÷ !!, !!% Ü' ÜF (PAH)	wӨ 072-80 (GC-MS/MS)	> g/l	-		
ÿÜ!•/ (†)ü%ñ Ü!!%!!!/	wӨ 072-80 (GC-MS/MS)	> g/l	-	-	<0.0067
ÿÜ!•/ (")ü%ñ Ü!!%!!!/	wӨ 072-80 (GC-MS/MS)	> g/l	-	-	<0.0067
ÿÜ!•/ (g,h,i) ðÜE<' !!!/	wӨ 072-80 (GC-MS/MS)	> g/l	-	-	<0.0067
ñ!!ÜÜ/ (1,2,3-c,d) ðEñ' !!!/	wӨ 072-80 (GC-MS/MS)	> g/l	-	-	<0.0067
ÿÜ!•TФ/	wӨ 072-88 (GC-MS)	> g/l	-	< 1.0	<0.1
ñ^nE<Ü"Ü/ (C3H5NO)	wӨ 072-86 (LC-MS/MS)	> g/l	-	< 0.10	<0.1
Ө ð'Pis%ñEÜñ"!!...(C3H5ClO)	wӨ 072-87 (GC-MS)	> g/l	-	< 0.10	<0.1
- QY/ </ YÜñ ÜÜ"Y"Ü"!!%!!	wӨ 072-79 (GC-MS/MS)	> g/l	-	< 0.50	üÜ! Ü!!Pis%ñ"Ü!!

W - ♀ ÚŒ£!! F
—,¿ "" / ΩΘ† ðúU.ñ ” £

12

YÜΩ / F W..Ü'Ü!! , " ..F
DVM, —.ä "'™ F MSc

- / ɤ̃^h TM q'ũU q/ ' . U'' TM y' n Ũ .. Ğ ŮŮ / !!''' £ q/ ‡n Ůy " Ů ũŮ! > q/ n Ů!! ŮŮ!! Ůq Ůh ŮPǫŮ Pǫ/n F U.. ‡n Ůq Ů ' ‡n'n'ũ... U £ Ů ‡ŮŮU.n? £, q Ůh , > TM/ ůŮ q<" n ...>/ n u".

[illegible]

- ٤ "٥٥ 2 ٥٥ TM3

WU%y. yU. -/ y"UF 104 Qh%!!U 115 27

- 9 / " ŮŮ ůŮ. Ů: Ө . ý Ů! • ' < / £ 127 QW. r%!!"Ů 142 32

- Τηλ: +30 210 7470500-502 Φάξ: +30 210 7470501 Email: waternet@ergastiria.gr Website: www.ergastiria.gr

Ýì ýì - Γ ù Γ - ΘΓ-

[illegible]

2. - ပံ ဖံ ပံ'မ"ဟံပံ ဖံ/£ ပံ'ပံ' n/ !!ယံ ဖံ ပံ e!! ဖံ'ဖံ ဖံ/ '.ဟံ TM ပံပံ ယံ:

Acetochlor, Acrinathrin (s %/ 'ú' ð ð! 'ú' > ð e !!), Aldrin, Atrazine, Azinphos Ethyl, Azinphos Methyl, Benalaxyl, Benfluralin, Bifenoxy, Bifenthrin, Biphenyl, Bitertanol, Bromocyclen, Bromophos Ethyl, Bromophos Methyl, Bromopropylate, Bromuconazole (s %/ 'ú' ð ð! 'ú' > ð e !!), Buprofezin, Butafenacil, Cadusafos, Captafol, Captan, Carbaryl, Carbofenthiol, Carbosulfan, Chlordane alpha (cis), Chlordane gamma (trans), Chlorfenapyr, Chlorfenson, Chlorfenviphos (s %/ 'ú' ð ð! 'ú' > ð e !!), Chlorobenzilate, Chloropropylate, Chlorothalonil, Chlorpyrifos Ethyl, Chlorpyrifos Methyl, Chlorthal dimethyl/DCPA, Chlorthion Methyl, Clodinafop-propargyl, Cloquintocet meyl, Coumaphos, Cyfluthrin (s %/ 'ú' ð ð! 'ú' > ð e !!), Cyhalothrin lambda, Cypermethrin (s %/ 'ú' ð ð! 'ú' > ð e !!), Cyproconazole, Cyprodinil, DDD-o, DDD-p, DDE-o, DDE-p, DDT-o, DDT-p, Deltamethrin, Diazinon, Dichlobenil, Dichlofenthiol, Dichlofluanid, Dichloran, Dichlorvos(#), Diclobutrazol, Dicofof, Dieldrin, Difenoconazole (s %/ 'ú' ð ð! 'ú' > ð e !!), Diflufenican, Dimethenamid, Dimethoate, Diniconazol, Diphenamid, Endosulfan alpha, Endosulfan beta, Endosulfan lactone, Endosulfan sulfate, Endrin, Epoxiconazole, Esfenvalerate, Etoconazol (s %/ 'ú' ð ð! 'ú' > ð e !!), Ethalfuralin, Ethion, Ethoprophos, Etridiazol, Etrifos, Famphur, Fenamiphos, Fenarimol, Fenazaquin, Fenbuconazol, Fenchlorphos, Fenitrothion, Fenoxycarb, Fenproparthrin, Fenpropidin, Fenpropimorph, Fenson, Fenvalerate (s %/ 'ú' ð ð! 'ú' > ð e !!), Fluzafop-P-butyl, Fluchloralin, Flucythrinate (s %/ 'ú' ð ð! 'ú' > ð e !!), Fludioxonil, Flufenoxuron, Fluquiconazole, Flusilazole, Fluvalinate-tau (s %/ 'ú' ð ð! 'ú' > ð e !!), Folpet, Furalaxyl(#), HCH alpha, HCH beta, HCH delta, HCH gamma, Heptachlor, Heptachlor Epoxide A, Heptachlor Epoxide B, Hexachlorobenzene, Hexaconazole, Iodofenphos, Iprobenphos, Iprodione, Isazophos, Isodrin, Isofenphos, Isofenphos Methyl, Leptobios, Malathion, Mepronil, Metazachlor, Methacrisfos, Methidathion, Methoxychlor (s %/ 'ú' ð ð! 'ú' > ð e !!), Metolachlor, Metribuzin(#), Mirex, Myclobutanil, Nitrapyrin, Nitrofen, Nitrothial isopropyl, Nuarimol, o-phenylphenol, Oxadiazon, Oxyfluorfen, Paclobutrazol, Parathion, Parathion Methyl, Penconazole, Pendimethalin, Pentachloroanisole, Permethrin (s %/ 'ú' ð ð! 'ú' > ð e !!), Perthan, Phenothrin (s %/ 'ú' ð ð! 'ú' > ð e !!), Phenthoate, Phorate(#), Phosalone, Phosmet, Picolinafen, Piperonyl butoxide (PBO), Pirimiphos Ethyl, Pirimiphos Methyl, Procymidone, Profenofos, Prometryn, Propargite, Propazine, Propham, Propyzamide, Prothiofos, Pyrazophos, Pyridaben, Pyrimethanil, Pyriproxyfen, Quinalphos, Quinoxifen, Quintozene, Resmethrin (s %/ 'ú' ð ð! 'ú' > ð e !!), S421, Simazine, Spirodiclofen, Tebuconazole, Tecnazene, Tefluthrin, Terbutylazine, Tetrachlorvinphos, Tetraconazole, Tetradifon, Tetramethrin (s %/ 'ú' ð ð! 'ú' > ð e !!), Tetrasul, Thiobencarb, Tolclofos Methyl, Tolyfluanid, Transfluthrin, Triadimefon, Triazophos, Trichloronate, Trifluralin, Trilicconazole, Uniconazole, Vinclozolin.

$\bar{u}'\bar{v} \text{ } ^{\tau}\mu\bar{v}\bar{w}$ ♀ $\bar{u}'\bar{v} \text{ } ^{\tau}\mu\bar{v}\bar{w}$ " $\bar{u}'\bar{v} \text{ } ^{\tau}\mu\bar{v}\bar{w}$, LOD: 0.006-0.022 > q/l & LOQ: 0.022-0.068 > q/l.

(#) Θ' U^M ♀ Ūⁿ/ £ ū' ūⁿ "ŭ Ŭ£ŭ. F.

W - ♀ ÚŒ%!!/ F
—:λ '''/ ΩΘ ±úúU.n'¥ £

12

YÜΩ / F W..Ü'Ü!! , " ..F
DVM, —.ä "'™ F MSc

- / ǂ ǃ ᵀᵐ ᶑ ᵊ ᵋ ᵌ ᵍ ᵎ ᵏ ᵐ ᵑ ᵒ ᵓ ᵔ ᵕ ᵖ ᵗ ᵘ ᵙ ᵚ ᵛ ᵜ ᵝ ᵞ ᵟ ᵠ ᵡ ᵢ ᵣ ᵤ ᵥ ᵦ ᵧ ᵨ ᵩ ᵰ ᵱ ᵲ ᵳ ᵴ ᵵ ᵶ ᵷ ᵸ ᵹ ᶀ ᶁ ᶂ ᶃ ᶄ ᶅ ᶆ ᶇ ᶈ ᶉ ᶊ ᶋ ᶌ ᶍ ᶎ ᶏ ᶐ ᶑ ᶒ ᶓ ᶔ ᶕ ᶖ ᶗ ᶘ ᶙ ᶚ ᶛ ᶜ ᶝ ᶞ ᶟ ᶠ ᶡ ᶢ ᶣ ᶤ ᶥ ᶦ ᶧ ᶨ ᶩ ᶪ ᶫ ᶬ ᶭ ᶮ ᶯ ᶰ ᶱ ᶲ ᶳ ᶴ ᶵ ᶶ ᶷ ᶸ ᶹ ᷀ ᷁ ᷂ ᷃ ᷄ ᷅ ᷆ ᷇ ᷈ ᷉ ᷊ ᷋ ᷌ ᷍ ᷎ ᷏ ᷐ ᷑ ᷒ ᷓ ᷔ ᷕ ᷖ ᷗ ᷘ ᷙ ᷚ ᷛ ᷜ ᷝ ᷞ ᷟ ᷠ ᷡ ᷢ ᷣ ᷤ ᷥ ᷦ ᷧ ᷨ ᷩ ᷪ ᷫ ᷬ ᷭ ᷮ ᷯ ᷰ ᷱ ᷲ ᷳ ᷴ ᷵ ᷶ ᷷ ᷸ ᷹ ᷺ ᷻ ᷼ ᷽ ᷾ ᷿ Ḁ ḁ Ḃ ḃ Ḅ ḅ Ḇ ḇ Ḉ ḉ Ḋ ḋ Ḍ ḍ Ḏ ḏ Ḑ ḑ Ḓ ḓ Ḕ ḕ Ḗ ḗ Ḙ ḙ Ḛ ḛ Ḝ ḝ Ḟ ḟ Ḡ ḡ Ḣ ḣ Ḥ ḥ Ḧ ḧ Ḩ ḩ Ḫ ḫ Ḭ ḭ Ḯ ḯ Ḱ ḱ Ḳ ḳ Ḵ ḵ Ḷ ḷ Ḹ ḹ Ṁ ṁ Ṃ ṃ Ṅ ṅ Ṇ ṇ Ṉ ṉ Ṋ ṋ Ṍ ṍ Ṏ ṏ Ṑ ṑ Ṓ ṓ Ṕ ṕ Ṗ ṗ Ṙ ṙ Ṛ ṛ Ṝ ṝ Ṟ ṟ Ṡ ṡ Ṣ ṣ Ṥ ṥ Ṧ ṧ Ṩ ṩ Ṫ ṫ Ṭ ṭ Ṯ ṯ Ṱ ṱ Ṳ ṳ Ṵ ṵ Ṷ ṷ Ṹ ṹ Ṻ ṻ Ṽ ṽ Ṿ ṿ Ṱ ṱ Ṳ ṳ Ṵ ṵ Ṷ ṷ Ṹ ṹ Ṻ ṻ Ṽ ṽ Ṿ ṿ

[illegible]

- ٤ "٥٦٣ ٥٧ TM3